

Berol 609

Berol 609 is a nonionic surfactant designed for nonyl phenol 9 replacement.

Specifications

| Appearance | Clear liquid at 25°C |
|---------------|----------------------|
| Cloud point | 125 - 140 °F |
| Dioxane | ≤ 10 ppm |
| рН | 5 - 9 |
| Water content | 9 - 11 % |

Characteristics

| СМС | 51.6 mg/l |
|---------------------|---|
| Density | 1.009 g/cc at 25°C8.42 pounds/gallon |
| Draves wetting test | 7 sec (0.1%, 25°C) |
| Flash point | ≥93.3 C |
| Foam Height | 32 (25°C, 0.1%, 5min), immediately 44 (25°C, 0.1%) mm |
| Pour point | ≤ -20 °C |
| Surface Tension | 28.3 mN/m (25°C, 0.1%) |

Notes

Applications

Berol 609 is intended to be used as a direct drop-in for NP9 or NP10. Similar surfactant properties (cloud point equal to NP9). Better handling characteristics (lower pour point and viscosity, dissolves much more quickly in cold water). No need to modify other components of existing formulations to maintain performance.

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

BEROL is a registered trademark in many countries. For more information, please visit our website at www.nouryon.com.

